

BRIMAR EQUIVALENTS

This list includes

CURRENT TYPES
MAINTENANCE TYPES
OBSOLESCEENT TYPES
OBSOLETE TYPES
EXPORT ONLY TYPES

Brimar replacements, available through home market channels, are shown in **BOLD** type. Valves shown in *italics* have **solus** Brimar type numbers. Cathode Ray Tubes are grouped together at the end of this list.

The equivalents given in this list have been selected with every care, but Thorn-AEI Radio Valves & Tubes Limited neither assume nor accept any responsibility or liability for the accuracy of the information given.

Before making a replacement it is advisable to study the published data on the valve concerned to ensure continued operation within the ratings.

The equivalents are not intended to guarantee any degree of equivalence as regards secondary parameters.

VALVE EQUIVALENTS

Index Type	BRIMAR			Others	Index Type	BRIMAR			Others
	CV Type	American Type	European Type			CV Type	American Type	European Type	
0A2	CV1832	0A2	150C2	STV150-30	1M1	—	—	—	DM71
0A3	CV3798	0A3	<i>VR75/30</i>	—	1M3	—	1M3	DM70	—
0B2	CV1833	0B2	108C4	STV108-30	1N3	—	1N3	—	DM71
0C3	CV686	0C3	<i>VR105/30</i>	—	1N5GT	CV1823	1N5GT	—	DF33
0D3	CV216	0D3	<i>VR150/30</i>	—	1P1	—	3C4	DL96	N25
0Z4	CV692	0Z4	—	—	1P10	CV820	3S4	DL92	N17
1A3	CV753	1A3	DA90	1013	1P11	—	3V4	DL94	N19
1A5G	CV755	1A5G	—	—	1R5	CV782	1R5	DK91	X17
1A7G	CV1800	1A7G	—	DK32	1S2	—	1S2	DY86/87	—
1A86	—	1A86	DK96	1C3	1S2A	—	1S2A	DY86/87	—
1AC6	—	1AC6	DK92	1C2	1S4	CV783	1S4	DL91	—
1AH5	—	1AH5	DAF96	1FD1	1S5	CV784	1S5	DAF91	1FD9
1AJ4	—	1AJ4	DF96	1F1	1T2	—	1T2	R16	U37
1C1	CV782	1R5	DK91	X17	1T4	CV785	1T4	DF91	1F3
1C2	—	1AC6	DK92	X20	1U5	CV3912	1U5	—	—
1C3	—	1A86	DK96	X25	1X2B	—	1X2B	R19	—
1C5GT	CV1805	1C5GT	—	DL35	2A3	CV1831	2A3	—	—
1D5	CV764	ID5	—	U4020	2B35	—	—	EA50	6D1
1D6	—	ID6	—	—	2D21	CV797	2D21	EN91	20A3
1D13	CV753	—	—	1A3	2T/270K	CV261	—	R10	6305
1F1	—	1AJ4	DF96	W25	2J2	—	2J2	R20	U26
1F2	CV1758	1L4	DF92	1F2	2L2	—	—	—	U25
1F3	CV785	1T4	DF91	W17	3A5	CV808	3A5	DCC90	—
1FD1	—	1AH5	DAF96	ZD25	3C4	—	3C4	DL96	1P1
1FD9	CV784	1S5	DAF91	ZD17	3D6	—	3D6	—	—
1H5GT	CV1820	1H5GT	—	DAC2	3Q4	CV818	3Q4	DL95	N18
1L4	CV1758	1L4	DF92	1F2	3Q5GT	CV819	3Q5GT	—	DL33
1LA6E	—	1LA6E	—	—	3S4	CV820	3S4	DL92	1P10
1LD5	CV779	1LD5	—	—	3V4	CV1633	3V4	DL94	1P11
1LN5	CV781	1LN5	—	—	4CM4	—	4CM4	PC86	—

Brimar types in **BOLD** available at time of printing.

BRIMAR VALVE EQUIVALENTS

Index Type	BRIMAR			Others	Index Type	BRIMAR			Others
	CV Type	American Type	European Type			CV Type	American Type	European Type	
4D1	CV1109	4D1	—	HL1320	6C18	—	6GV7	ECF805	—
4DL4	—	4DL4	PC88	—	6CA4	—	6CA4	EZ81	UU12
4FY5	—	4FY5	PC97	—	6CA7	CV1741	6CA7	EL34	—
4HA5	—	4HA5	PC900	—	6CD6G	CV5729	6CD6G	—	—
4XP	CV1168	—	—	PP3-250	6CH6	CV2127	6CH6	EL821	7D10
5AR4	—	5AR4	GZ34	—	6CJ5	—	—	EF41	6F16
5B250A	CV124	807	—	QV05-25	6CL6	CV5041	6CL6	—	—
5R4GY	CV717	5R4GY	—	—	6CK5	—	—	EL41	N150
5U4G	CV575	5U4G	GZ31	U52	6CM4	—	6CM4	EC86	—
5V4G	CV729	5V4G	—	52KU	6CQ6	—	9D6	EF92	6F21
5Y3GT	CV1856	5Y3GT	—	—	6CS6	—	6CS6	EH90	—
5Z3	CV1861	5Z3	—	—	6CU7	—	6CU7	ECH42	6C10
5Z4G	CV1863	5Z4G	GZ30	R52	6CV7	—	6CV7	EBC41	6LD3
6/30L2	—	6GA8	ECC804	8729	6CW7	—	6CW7	ECC84	6L16
6A3	CV730	6A3	—	—	6D1	CV1092	—	EA50	2835
6A7E	CV1870	6A7E	—	—	6D2	CV140	6AL5	EB91	D77
6A8G	CV578	6A8G	—	X63	6D6	CV1900	6D6	—	—
6AB8	—	6AB8	ECL80	LN152	6DA5	—	6DA5	EMB1	—
6AF4A	CV5074	6AF4A	—	—	6DA6	CV5156	6DA6	EF89	—
6AG6G	CV1438	6AG6G	EL33	KT61	6DC8	—	6DC8	EBF89	6FD12
6AJ8	CV2128	6AJ8	ECH81	6C12	6DJ8	—	GDJ8	ECC88	—
6AK5	CV850	6AK5	EF95	DP61	6DL4	—	6DL4	EC88	—
6AK6	CV1762	6AK6	—	—	6DX8	—	6DX8	ECL84	—
6AK8	—	6AK8	EABC80	6LD12	6E5GT	CV1905	6E5GT	—	—
6AL3	—	6AL3	EY88	—	6EH7	—	6EH7	EF183	6F29
6AL5	CV283	6AL5	EB91	6D2	6EJ7	—	6EJ7	EF184	6F30
6AM4	CV5073	6AM4	—	—	6ES8	CV5331	6ES8	ECC189	—
6AM5	CV136	6AM5	EL91	6P17	6F6G	CV1911	6F6G	—	KT63
6AM6	CV138	8D3	EF91	6AM6	6F12	CV138	8D3	EF91	6AM6
6AQ4	—	6AQ4	EC91	6L34	6F16	—	6CJ5	EF41	W150
6AQ5	CV1862	6AQ5	EL90	N727	6F21	—	9D6	EF92	6CQ6
6AQB	—	6AQB	ECC85	6L12	6F22	—	6267	EF86	Z729
6AT6	CV452	6AT6	EBC90	DH77	6F26	—	6BY7	EF85	W719
6AU6	CV2524	6AU6	EF94	—	6F28	—	—	EE80	—
6AV6	CV2526	6AV6	EBC91	—	6F29	—	6EH7	EF183	6F29
6B4G	CV851	6B4G	—	—	6F30	—	6EJ7	EF184	6F30
6B7E	CV1891	6B7E	—	—	6FD12	—	6DC8	EBF89	6FD12
6B8G	CV1893	6B8G	—	—	6FG6	—	6FG6	EMB4	—
6BA6	CV454	6BA6	EF93	W727	6FY5	—	6FY5	EC97	—
6BD7A	—	6BD7A	EBC81	6LD13	6G5G	—	6U5G	—	6M1
6BE6	CV453	6BE6	EK90	X727	6GA8	—	6GA8	ECC804	6/30L2
6BG6G	—	6BG6G	—	—	6GV7	—	6GV7	ECF805	6C18
6BH6	CV3908	6BH6	—	—	6GV8	—	6GV8	FCL85	—
6BJ6	CV3909	6BJ6	—	—	6H5	—	6U5G	—	6M1
6BK4	—	6BK4	—	—	6HG8	—	6HG8	ECF86	—
6BK8	—	6267	EF86	—	6HU6	—	6HU6	EM87	—
6BL8	—	6BL8	ECF80	6C16	6HU8	—	6HU8	ELL80	—
6BM8	—	6BMB	ECL82	6PL12	6J5G	CV1932	6J5G	—	L63
6BQ5	—	6BQ5	EL84	6P15	6J6	CV858	6J6	—	ECC91
6BQ7A	CV5365	5BQ7A	—	—	6J7G	CV1935	6J7G	—	Z63
6BR5	—	—	—	EM80	6JX8	—	6JX8	ECH84	—
6BR7	CV2135	6BR7	—	8D5	6K6G	CV1938	6K6G	—	—
6BR8	—	6BR8	—	—	6K7G	CV1941	6K7G	—	KTW63
6BS7	CV5086	6BS7	—	8D7	6K8G	CV1944	6K8G	—	ECH35
6BT4	—	—	EZ40	UU9	6L6G	CV1947	6L6G	—	KT66
6BW6	CV2136	6BW6	—	—	6L7G	CV1950	6L7G	—	—
6BW7	—	6BW7	—	8D6	6L12	—	6AQB	ECC85	B719
6BX6	—	6BX6	EF80	Z719	6L13	—	12AX7	ECC83	B339
6BY7	—	6BY7	EF85	6F26	6L16	—	6CW7	ECC84	6L16
6C4	CV133	6C4	EC90	L77	6LD3	CV3882	6CV7	EBC41	DH718
6C5G	CV581	6C5G	—	—	6LD12	—	6AK8	EABC80	DH719
6C6	CV585	6C6	—	—	6LD13	—	6BD7A	EBC81	6LD13
6C10	CV3888	6CU7	ECH42	X150	6M1	—	6U5G	—	6G5G
6C12	—	6AJ8	ECH81	X719	6N7G	CV1956	6N7G	—	—
6C16	—	—	ECF80	—	6N8	—	6N8	EBF80	ZD512

Brimar types in **BOLD** available at time of printing.

BRIMAR VALVE EQUIVALENTS

Index Type	BRIMAR			Others	Index Type	BRIMAR			Others
	CV Type	American Type	European Type			CV Type	American Type	European Type	
6P15	—	6BQ5	EL84	N709	10C14	—	19D8	UCH81	X119
6P17	—	6AM5	EL91	7D9	10D1	CV1300	10D1	—	—
6PL12	—	6BM8	ECL82	6PL12	10FD12	—	19FLB	UBF89	WD119
6Q7G	CV587	6Q7G	—	DH63	10L14	—	—	UCC85	B109
6R7G	CV1962	6R7G	—	DL63	10LD3	—	14L7	UBC41	DH142
6S2	—	6S2	EY86/87	—	10LD12	—	—	UABC80	DH109
6S2A	—	6S2A	EY86/87	—	10LD13	—	—	UBC81	DH119
6SC7	CV1969	6SC7	—	—	10P18	—	45B5	UL84	N119
6SG7	CV1978	6SG7	—	—	10PL12	—	50BM8	UCL82	LN119
6SJ7	CV591	6SJ7	—	—	11D3	CV1300	11D3	—	HL/DD / 1320
6SK7	CV1981	6SK7	—	—	11D	—	11D5	—	—
6SL7GT	CV1985	6SL7GT	—	—	12A	CV525	12A6	—	—
6SN7GT	CV1988	6SN7GT	—	ECC32	12AC5	—	—	UF41	W142
6SQ7	CV1990	6SQ7	—	—	12AC6	—	12AC6	—	—
6T8	—	6AK8	EABC80	DH719	12AD6	—	12AD6	—	—
6U4GT	CV5287	6U4GT	—	—	12AE6	—	12AE6	—	—
6U5G / 6G5G	CV2747	6U5G / 6G5G	—	6M1	12AH8	CV5317	12AH8	—	20D3
6U7G	CV706	6U7G	—	—	12AT6	—	12AT6	HBC90	—
6U8	CV5065	6U8	ECF82	—	12AT7	CV455	12AT7	ECC81	B309
6V4	—	6V4	EZ80	—	12AU6	CV1961	12AU6	HF94	—
6V6G	CV509	6V6G	—	—	12AU7	CV491	12AU7	ECC82	B329
6X2	CV426	R12	EY51	U151	12AV6	—	12AV6	HBC91	—
6X4	CV493	6X4	EZ90	U78	12AX7	CV492	12AX7	ECC83	6L13
6X5GT	CV574	6X5GT	EZ35	U147	12BA6	CV1928	12BA6	HF93	—
7A2	CV1174	7A2	—	AC/Pen	12BE6	—	12BE6	HK90	—
7A3	CV1181	7A3	—	AC2/Pen	12BH7	CV5042	12BH7	—	—
7A7	CV877	7A7	—	—	12BL7	—	12BL7	—	—
7AN7	CV5192	7AN7	PCC84	30L1	12C8GT	CV3827	12C8GT	—	—
7B6	CV882	7B6	—	DL82	12DT7	—	12AX7	ECC83	6L13
7B7	CV522	7B7	—	W149	12E13	CV5220	7D11	—	KT88
7C5	CV885	7C5	—	N148	12J5GT	CV535	12J5GT	—	—
7C6	CV887	7C6	—	DH149	12J7GT	CV917	12J7GT	—	—
7D3	—	7D3	—	40PPA	12K5	—	12K5	—	—
7D5	CV1425	7D5	—	N30	12K7GT	CV918	12K7GT	—	W76
7D6	CV1672	7D6	—	Pen383	12K8GT	CV3927	12K8GT	—	X76M
7D8	CV889	7D8	—	Pen1340	12Q7GT	—	12Q7GT	—	DH76
7D9	CV136	6AM5	EL91	6P17	12S17	CV697	12S17	—	—
7D10	CV2127	6CH6	EL821	—	12SK7	CV543	12SK7	—	—
7D11	CV5220	7D11	—	KT88	12SL7GT	CV924	12SL7GT	—	—
7ES8	—	7ES8	PCC189	—	12SN7GT	CV925	12SN7GT	—	B36
7FC7	—	7FC7	PCC89	—	12SQ7	CV546	12SQ7	—	—
7GV7	—	7GV7	PCF805	30C18	12SR7	CV700	12SR7	—	—
7H7	CV895	7H7	—	W148	12U5G	—	12U5G	—	—
7K7	CV696	7K7	—	—	13D1	CV423	13D1	—	—
7R7	CV900	7R7	—	—	13D2	—	6SN7GT	—	ECC32
7S7	—	7S7	—	X148	13D3	CV2212	13D3	—	—
7Y4	CV901	7Y4	—	U149	13D7	—	13D7	ECC807	—
7Z4	CV1790	7Z4	—	—	13DHA	CV1419	11D3	—	HL/DD / 1320
8A1	CV1282	8A1	—	AC/SG	13SPA	CV929	8D2	—	SP13C
8D2	CV1108	8D2	—	SP13C	13VPA	CV1106	9D2	—	VP1322
8D3	CV138	6AM6	EF91	6F12	14B6	—	14B6	—	—
8D5	CV2135	6BR7	—	—	14GW8	—	14GW8	PCL86	—
8D6	—	6BW7	—	—	14H7	—	14H7	—	—
8D7	—	6BS7	—	—	14R7	CV3937	14R7	—	—
8D8	—	8D8	—	—	14K7	—	14K7	UCH42	X142
8GJ7	—	8GJ7	PCF801	—	14L7	—	14L7	UBC41	10LD3
8HGB	—	8HGB	PCF86	—	14S7	CV3936	14S7	—	—
9A8	—	9A8	PCF80	30C1	15A2	CV3576	15A2	—	X42
9AQ8	—	9AQ8	PCC85	—	15A6	—	15A6	PL83	—
9BW6	—	9BW6	—	—	15CW5	—	15CW5	PL84	30P18
9D2	CV1106	9D2	—	VP1322	15D1	CV2956	15D1	—	—
9D6	CV131	9D6	EF92	6CQ6	15D2	CV1107	15D2	—	—
9D7	CV5409	9D7	—	—	15DQB	—	15DQB	PCL84	—
9ED4	—	9ED4	PD500	—	16A	—	6AM5	EL91	6P17
9U8	—	9U8	PCF92	—	16A5	—	16A5	PL82	30P16

Brimar types in **BOLD** available at time of printing.

BRIMAR VALVE EQUIVALENTS

Index Type	BRIMAR			Others	Index Type	BRIMAR			Others
	CV Type	American Type	European Type			CV Type	American Type	European Type	
16A8	—	16A8	PCL82	30PL12	65ME	—	—	EM80	6BR5
17KW6	—	17KW6	PL508	—	66KU	—	—	EZ40	6BT4
17Z3	—	17Z3	PY81	U153	67PT	—	—	EL41	6CK5
18D2	—	18D2	—	—	75	CV614	75	—	—
18D3	—	18D3	ECF804	—	76	CV615	76	—	—
18GV8	—	18GV8	PCL85	—	77E	CV616	77E	—	—
19	—	19	—	—	78E	CV2544	78E	—	—
19AQ5	—	19AQ5	—	—	80	CV617	80	—	—
19BG6G	—	19BG6G	—	—	80S	—	80S	—	—
19BR5	—	—	UM80	19BR5	83	CV618	83	—	—
19D8	—	19D, Ti	UCH81	10C14	83V	CV2547	83V	—	—
19FL8	—	19FL8	UBF89	10FD12	121VP	—	—	UF41	12AC5
19SU	—	19Y3	PY82	U192	141DDT	—	14L7	UBC41	10LD3
19T8	—	19T8	—	—	141TH	—	14K7	UCH42	X142
19Y3	—	19Y3	PY82	U154	150C2	CV1832	0A2	—	STV150-30
20A3	CV797	2D21	EN91	—	150C3	CV216	—	VR150/30	0D3
20D2	—	20D2	—	—	311SU	—	31A3	UY41	U142
20D3	—	12AH8	—	20D3	442BU	CV1796	—	R2	UU5
20D4	—	20D4	—	—	451PT	—	45A5	UL41	N142
21A6	CV5077	21A6	PL81	N359	460BU	CV2644	—	R3	UU5
25A6G	—	25A6G	—	—	506BU	CV2645	—	R1	UU5
25E5	—	25E5	PL36	—	807	CV5307	807	—	QV0-25
25L6GT	CV553	25L6GT	—	KT32	1561	CV1064	—	R3	UU5
25SN7GT	CV423	25SN7GT	—	—	1629	CV1756	1629	—	—
25U4GT	—	25U4GT	—	—	1821	CV1443	—	R1	UU5
25Z4G	—	25Z4G	—	U31	1867	—	—	R2	UU5
27GB5	—	27GB5	PL500	—	5726	CV4007	5726	—	M8212
30AE3	—	30AE3	PY88	—	5749	CV4009	5749	—	—
30C1	—	9A8	PCF80	LZ329	5750	CV4012	5750	—	—
30C18	—	7GV7	PCF805	—	5763	CV2129	5763	—	QV03-12
30FL14	—	—	PCF808	—	5965	CV5843	5965	—	—
30L1	CV5192	7AN7	PCC84	B319	6057	CV4004	6057	—	M8137
30P16	—	16A5	PL82	N329	6058	CV4025	6058	—	M8079
30P18	—	15CW5	PL84	N379	6059	CV4006	6059	—	—
30P19	—	—	PL302	N389	6060	CV4024	6060	—	M8162
30PL12	—	16A8	PCL82	—	6061	CV4043	6061	—	—
31A3	—	31A3	UY41	U142	6062	CV4039	6062	—	M8096
35A5	—	35A5	—	—	6063	CV4005	6063	—	—
35L6GT	CV562	35L6GT	—	—	6064	CV4014	6064	—	S6F12
35W4	—	35W4	HY90	—	6065	CV4015	6065	—	M8161
35Z3	CV564	35Z3	—	—	6067	CV4003	6067	—	M8136
35Z4GT	CV2500	35Z4GT	—	U76	6080	CV2984	6080	—	ECC230
38A3	—	38A3	UY85	U381	6100	CV4058	—	—	M8080
40PPA	—	7D3	—	40PPA	6132	CV4055	6132	—	—
40SUA	CV1267	1D5	—	U4020	6146	CV3523	6146	—	QV06-20
41MPG	CV2505	15A2	—	X42	6158	CV4068	6158	—	—
42E	CV609	42E	—	—	6267	—	6267	EF86	6F22
42EC4	—	42EC4	PY500	—	6305	—	—	R10	HR1
42MP/Pen	CV1181	7A3	—	AC2/Pen	6516	CV4063	6516	—	M8082
43E	CV2514	43E	—	—	6688	CV3998	6688	—	—
43U	CV1039	—	R2	UU5	6870	CV5121	6870	—	—
44U	CV1039	—	R3	UU5	7032	—	7032	—	—
45A5	—	45A5	UL41	N142	7492	—	7492	—	—
45B5	—	45B5	UL84	10P18	7489	—	7489	—	—
50A5	—	50A5	—	—	7498	—	7498	—	—
50BM8	—	50BM8	UCL82	10PL12	7558	—	7558	—	—
50C5	CV1959	50C5	HL92	—	A11B	—	—	R2	UU5
50CD6G	—	50CD6G	—	—	A11C	—	—	R3	UU5
50L6GT	CV571	50L6GT	—	KT71	A11D	—	—	R2	UU5
52KU	CV1863	5Z4G	—	52KU	A70B	—	7A2	—	AC/Pen
62DDT	—	6CV7	EBC41	6LD3	A70C	—	7A3	—	AC2/Pen
62TH	—	6CU7	ECH42	6C10	A80A	—	15A2	—	FC4
62VP	—	—	EF41	6C15	AC/Pen	CV1174	7A2	—	Pen4VA
63ME	—	6USG	—	6M1	AC/S2/ Pen	—	—	—	—
63TP	—	6AB8	ECL80	LN152	AC/SG	CV1282	8A1	—	AC/SG
						CV8222	8A1	—	MSP4

Brimar types in **BOLD** available at time of printing.

BRIMAR VALVE EQUIVALENTS

Index Type	BRIMAR			Others	Index Type	BRIMAR			Others
	CV Type	American Type	European Type			CV Type	American Type	European Type	
AC2/Pen	CV2808	7A3	—	PenA4	CV614	—	—	—	—
APP4A	CV1683	7A2	—	AC/Pen	CV615	—	—	—	—
APP4B	CV1181	7A3	—	AC2/Pen	CV616	—	—	—	—
APV4	CV1039	—	R3	UU5	CV617	—	—	—	—
B36	CV925	12SN7GT	—	B36	CV618	—	—	—	—
B65	CV1988	6SN7GT	—	13D2	CV686	—	—	VR150/30	OC3
B109	—	—	UCC85	10L14	CV692	—	0Z4	—	—
B152	—	12AT7	ECC81	B309	CV697	—	12S17	—	—
B309	CV455	12AT7	ECC81	E2157	CV700	—	12SR7	—	—
B319	CV5192	7AN7	PCC84	30L1	CV706	—	6U7G	—	—
B329	—	12AU7	ECC82	E2163	CV717	CV717	5M4GY	—	—
B339	—	12AX7	ECC83	6L13	CV729	CV729	5V4G	—	—
B719	—	6AQB	ECC85	6L12	CV730	—	6A3	—	—
B729	—	6GA8	ECC804	6/30L2	CV753	—	1A3	—	1D13
BPM04	—	6AQ5	EL90	N727	CV755	—	1A5G	—	—
C10B	CV764	1D5	—	U4020	CV756	—	1A5GT	—	—
C30B	—	4D1	—	HL1320	CV764	—	1D5	—	U4020
C50B	—	8D2	—	SP13C	CV779	—	1LD5	—	—
C50N	—	9D2	—	VP1322	CV781	—	1LN5	—	—
C70D	—	7D6	—	Pen383	CV782	CV782	1R5	DK91	1C1
CV118	CV118	—	—	SP61	CV783	—	1S4	DL91	—
CV124	—	807	—	QV05-25	CV784	CV784	1S5	DAF91	1FD9
CV131	—	9D6	EF92	W77	CV785	—	1T4	DF91	1F3
CV133	CV133	6C4	EC90	L77	CV797	—	2D21	EN91	20A3
CV136	CV136	6AM5	EL91	7D9	CV808	—	3A5	DCC90	—
CV138	CV138	8D3	EF91	6AM6	CV818	—	3Q4	DL95	N18
CV140	CV140	6AL5	EB91	6D2	CV819	—	3Q5GT	—	DL33
CV216	—	—	VR150/30	OD3	CV820	—	3S4	DL92	1P10
CV261	—	—	R10	HR2	CV850	CV850	6AK5	EF95	—
CV283	—	6AL5	—	—	CV851	—	6B4G	—	—
CV423	—	13D1	—	25SN7GT	CV858	—	6J6	ECC91	—
CV426	—	6X2	R12	EY51	CV877	—	7A7	—	—
CV452	CV452	6AT6	E8C90	DH77	CV882	—	786	—	DH81
CV453	CV453	6BE6	EK90	X77	CV885	—	7C5	—	—
CV454	CV454	6BA6	EF93	WT27	CV887	—	7C6	—	DH149
CV455	CV455	12AT7	ECC81	B309	CV889	—	7D8	—	Pen1340
CV484	—	3S4	—	—	CV895	—	7H7	—	—
CV491	CV491	12AU7	ECC82	E2163	CV896	—	7K7	—	—
CV492	CV492	12AX7	ECC83	E2164	CV900	—	7R7	—	—
CV493	CV493	6X4	EZ90	U78	CV901	—	7Y4	—	—
CV504	—	6U5	—	6U5/6G5	CV917	—	12J7GT	—	—
CV509	CV509	6V6G	—	—	CV918	—	12K7GT	—	—
CV511	—	6V6GT	—	—	CV924	—	12SL7GT	—	—
CV522	—	7B7	—	—	CV925	—	12SN7GT	—	B36
CV525	—	12A6	—	—	CV1039	—	—	R3	UU5
CV535	—	12AJ5GT	—	—	CV1106	—	9D2	—	VP1322
CV543	—	12SK7	—	—	CV1107	—	15D2	—	—
CV544	—	12SK7GT	—	—	CV1108	—	8D2	—	SP13C
CV546	—	12SQ7	—	—	CV1109	—	4D1	—	HL1320
CV547	—	12SQ7GT	—	—	CV1111	—	—	R11	—
CV553	—	25L6GT	—	—	CV1174	—	7A2	—	AC/Pen
CV562	—	35L6GT	—	—	CV1181	—	7A3	—	AC2/Pen
CV564	—	35Z3	—	—	CV1186	—	6F6G	—	KT63
CV571	—	50L6GT	—	—	CV1267	—	1D5	—	U4020
CV572	—	6X5G	—	—	CV1268	—	5Y3G	—	U50
CV574	CV574	6X5GT	EZ35	—	CV1282	—	8A1	—	AC/S2Pen
CV575	—	5U4G	—	U52	CV1287	—	25L6G	—	KT32
CV578	—	6A8G	—	—	CV1300	—	10D1	—	—
CV580	—	6A8GT	—	—	CV1336	CV1336	—	—	SP42
CV581	—	6C5G	—	—	CV1347	—	6K8G	—	ECH35
CV585	—	6C6	—	—	CV1352	—	—	EM80	—
CV587	—	6Q7G	—	DH63	CV1375	—	—	EF85	—
CV589	CV589	6Q7GT	—	—	CV1376	CV1376	—	EF80	—
CV591	—	6SJ7	—	—	CV1377	—	5AR4	GZ34	—
CV609	—	42E	—	—	CV1419	—	11D3	—	HL/DD / 1320

Brimar types in **BOLD** available at time of printing.

BRIMAR VALVE EQUIVALENTS

Index Type	BRIMAR			Others	Index Type	BRIMAR			Others
	CV Type	American Type	European Type			CV Type	American Type	European Type	
CV1425	—	7D5	—	—	CV2235	CV2235	—	R18	EY84
CV1438	—	6AG6G	EL33	KT61	CV2370	—	—	DL92	N17
CV1443	—	—	R1	U10	CV2492	CV2492	—	E88CC	—
CV1535	CV1535	—	EZ80	—	CV2500	—	35Z4GT	—	—
CV1633	—	3V4	—	—	CV2514	—	43	—	—
CV1672	—	7D6	—	Pen36C	CV2524	CV2524	6AU6	EF94	—
CV1741	—	6CA7	EL34	—	CV2526	CV2526	6AV6	—	—
CV1758	CV1758	1L4	DF92	1F2	CV2544	—	78	—	—
CV1762	CV1762	6AK6	—	—	CV2547	—	83V	—	—
CV1790	—	7Z4	—	—	CV2547	—	6U5G	—	—
CV1800	—	1A7G	—	—	CV2901	—	6267	EF86	—
CV1802	—	1A7GT	—	DK32	CV2912	—	6R7G	—	DL63
CV1803	—	1C5G	—	N14	CV2956	—	15D1	—	—
CV1805	—	1C5GT	—	DL35	CV2966	CV2966	—	EY86/87	—
CV1818	—	1H5G	—	HD14	CV2975	CV2975	6BQ5	EL84	6P15
CV1820	—	1H5GT	—	DAC32	CV2984	—	6080	—	—
CV1823	—	1N5GT	—	DF33	CV3523	CV3523	6146	—	QV06-20
CV1831	—	2A3	—	—	CV3576	—	15A2	—	FC4
CV1832	—	OA2	150C2	—	CV3635	—	7D8	—	Pen1340
CV1833	—	OB2	108C1	—	CV3798	—	—	VR75/30	OA3
CV1856	CV1856	5Y3GT	—	—	CV3827	—	12C8GT	—	—
CV1861	—	5Z3	—	—	CV3889	—	—	EL41	—
CV1862	CV1862	6AQ5	EL90	N727	CV3891	—	—	EZ40	—
CV1863	CV1863	5Z4G	—	R52	CV3908	CV3908	6BH6	—	—
CV1870	—	6A7	—	—	CV3909	CV3909	6BJ6	—	—
CV1891	—	6B7	—	—	CV3912	—	1U5	—	—
CV1893	—	6B8G	—	—	CV3927	—	12K8GT	—	—
CV1900	—	6D6	—	—	CV3936	—	14S7	—	—
CV1906	—	6E5	—	—	CV3937	—	14R7	—	—
CV1911	—	6F6G	—	KT63	CV3998	—	6688	—	—
CV1919	CV1919	—	—	6F14	CV4001	—	F/6063	—	VX7113
CV1928	—	12BA6	HF93	—	CV4002	CV4002	F/6064	—	VX7111
CV1929	—	6H6G	—	D63	CV4003	CV4003	6067	—	VX7058
CV1931	—	6H6GT	—	—	CV4004	CV4004	6057	—	VX7059
CV1932	—	6J5G	—	L63	CV4005	CV4005	6063	—	VX7061
CV1934	—	6J5GT	—	—	CV4006	CV4006	6059	—	VX7081
CV1935	—	6J7G	—	—	CV4007	CV4007	5726	—	M8212
CV1937	—	6J7GT	—	—	CV4009	CV4009	5749	—	—
CV1938	—	6K6G	—	—	CV4012	CV4012	5750	—	—
CV1941	—	6K7G	—	KTW63	CV4014	CV4014	6064	—	M8083
CV1943	—	6K7GT	—	—	CV4015	—	6065	—	VX7075
CV1944	—	6K8G	—	ECH35	CV4024	CV4024	6060	—	QA2406
CV1946	CV1946	6K8GT	—	—	CV4025	CV4025	6058	—	M8079
CV1947	CV1947	6L6G	—	KT66	CV4033	CV4033	F/6060	—	VX7112
CV1950	—	6L7G	—	—	CV4034	CV4034	F/6067	—	VX7120
CV1956	—	6N7G	—	—	CV4035	CV4035	F/6057	—	VX7128
CV1958	—	6N7GT	—	—	CV4037	—	F/5750	—	VX7119
CV1959	—	50C5	HL92	—	CV4039	CV4039	6062	—	VX7080
CV1961	CV1961	12AU6	—	—	CV4043	CV4043	6061	—	VX7082
CV1962	—	6R7G	—	DL63	CV4045	CV4045	F/6061	—	VX7503
CV1969	—	6SC7	—	—	CV4049	CV4049	F/5726	—	VX7130
CV1970	—	6SC7GT	—	—	CV4055	CV4055	6132	—	VX7102
CV1977	—	—	UL41	—	CV4056	CV4056	F/6132	—	VX7114
CV1978	—	6SG7	—	—	CV4058	CV4058	6100	—	M8080
CV1981	—	6SK7	—	—	CV4063	—	6516	—	M8082
CV1985	—	6SL7GT	—	—	CV4068	CV4068	6158	—	VX7124
CV1988	—	6SN7GT	—	B65	CV4069	CV4069	F/6158	—	—
CV1990	—	6SQ7	—	—	CV5041	—	6CL6	—	—
CV2127	CV2127	6CH6	EL821	7D10	CV5042	CV5042	12BH7	—	—
CV2128	—	6AJ8	ECH91	6C12	CV5065	CV5065	6U8	ECF82	—
CV2129	CV2129	5763	—	QV03-12	CV5072	CV5072	6CA4	EZ81	—
CV2135	CV2135	6BR7	8D5	—	CV5073	CV5073	6AM4	—	—
CV2136	CV2136	6BW6	—	—	CV5074	CV5074	6AF4A	—	—
CV2212	CV2212	1JD3	—	—	CV5077	—	21A6	PL81	—
CV2218	—	—	R17	—	CV5086	CV5086	6BS7	—	—

Brimar types in **BOLD** available at time of printing.

BRIMAR VALVE EQUIVALENTS

Index Type	BRIMAR			Others	Index Type	BRIMAR			Others
	CV Type	American Type	European Type			CV Type	American Type	European Type	
CV5121	CV5121	6870	—	—	DL95	CV818	3Q4	DL95	N18
CV5144	—	—	PCL83	LN309	DL96	—	3C4	DL96	1P1
CV5156	—	6DA6	EF89	—	DM70	—	1M3	DM70	—
CV5192	—	7AN7	PCC84	30L1	DP61	—	6AK5	EF95	PM05
CV5215	CV5215	6BL8	ECF80	6C16	DW2	CV1443	—	R1	UU5
CV5220	—	7D11	—	12E13	DW3	—	—	R2	DW4-350
CV5256	CV5256	—	—	U25	DW4-350	CV1796	—	R2	UU5
CV5257	CV5257	—	—	U26	DY86	—	152	DY86/87	—
CV5258	CV5258	—	—	U1 ^a	DY87	—	152A	DY86/87	—
CV5264	—	—	ECC804	—	DY802	—	—	DY802	—
CV5281	—	6CW7	ECC84	6L16	E88CC	CV2492	6922	E88CC	—
CV5287	—	6U4GT	—	—	E2016	CV131	876	EF92	6CQ6
CV5307	—	807	—	—	E2157	CV455	12AT7	ECC81	B152
CV5317	—	12AH8	—	—	E2163	CV491	12AU7	ECC82	B329
CV5331	—	6ES8	ECC189	—	E2164	CV492	12AX7	ECC83	6L13
CV5358	CV5358	6DJ8	ECC88	—	EA50	CV1092	—	EA50	6D1
CV5365	CV5365	6BQ7A	—	—	EABC80	—	6AK8	EABC80	6LD12
CV5409	—	9D7	—	—	EB34	CV1054	6H6GT	—	EB34
CV5427	CV5427	—	R19	—	EB91	CV140	6AL5	EB91	6D2
CV5434	—	6FG6	EM84	—	EBC41	CV3882	6CV7	EBC41	6LD3
CV5279	CV5279	6CD6G	—	—	EBC81	—	6BD7A	EBC81	6LD13
CV5810	CV5810	6EJ7	EF184	6F30	EBC90	CV452	6AT6	EBC90	DH77
CV5817	CV5817	6BW7	—	8D6	EBC91	—	6AV6	EBC91	—
CV5843	CV5843	5965	—	—	EBF80	—	6N8	EBF80	ZD152
CV5948	CV5948	—	ECF804	—	EBF89	—	6DC8	EBF89	6FD12
CV5831	—	6EH7	EF183	6F29	EC86	—	6CM4	EC86	—
D15	—	D15	—	—	EC88	—	6DL4	EC88	—
D63	CV554	6H6GT	—	EB34	EC90	CV133	6C4	EC90	L77
D77	CV140	6AL5	EB91	6D2	EC91	CV417	6AQ4	EC91	6L34
D152	—	6AL5	EB91	6D2	EC92	—	—	EC92	—
DA	CV1109	4D1	—	HL1320	EC97	—	6FY5	EC97	—
DAC32	CV1820	1H5GT	—	HD14	ECC32	CV181	6SN7GT	13D2	—
DAF91	CV784	155	DAF91	1FD9	ECC81	CV455	12AT7	ECC81	B152
DAF96	—	1AH5	DAF96	1FD1	ECC82	CV491	12AU7	ECC82	B329
DCC90	CV808	3A5	DCC90	—	ECC83	CV492	12AX7	ECC83	6L13
DD6	CV140	6AL5	EB91	6D2	ECC84	CV5281	6CW7	ECC84	6L16
DF33	CV1823	1N5GT	—	Z14	ECC85	—	6AQ8	ECC85	6L12
DF91	CV785	1T4	DF91	1F3	ECC88	CV5358	6DJ8	ECC88	—
DF92	CV1758	1L4	DF92	1F2	ECC91	CV858	6J6	—	ECC91
DF96	—	1AJ4	DF96	1F1	ECC189	CV5331	6ES8	ECC189	—
DH63	CV587	6Q7G	—	—	ECC230	—	6080	—	ECC230
DH76	—	12Q7GT	—	DL74M	ECC804	CV5264	6GAB	ECC804	6/30L2
DH77	CV452	6AT6	EBC90	DH77	ECC807	—	13D7	ECC807	—
DH81	CV882	786	—	DL82	ECF80	CV5215	6BL8	ECF80	6C16
DH109	—	—	UABC80	10LD12	ECF82	CV5065	6U8	ECF82	—
DH118	—	14L7	UBC41	10LD3	ECF86	—	6HGB	ECF86	—
DH119	—	—	UBC81	10LD13	ECF804	CV5948	—	ECF804	18D3
DH142	—	14L7	UBC41	10LD3	ECF805	—	6GV7	ECF805	6C18
DH147	—	6R7G	—	DL63	ECH35	CV1944	6K8G	—	X61M
DH149	CV887	7C6	—	—	ECH42	CV3888	6CU7	ECH42	6C10
DH150	—	6CV7	EBC41	6LD3	ECH81	CV2128	6AJ8	ECH81	6C12
DH718	—	6CV7	EBC41	6LD3	ECH84	—	6IX8	ECH84	—
DH719	—	6AK8	EABC80	6LD12	ECL80	—	6AB8	ECL80	LN152
DK32	CV1802	1A7G	—	X14	ECL82	—	6BM8	ECL82	6PL12
DK91	CV782	1R5	DK91	1C1	ECL83	—	—	ECL83	—
DK92	CV5172	1AC6	DK92	1C2	ECL84	—	6DX8	ECL84	—
DK96	—	1AB6	DK96	1C3	ECL85	—	6GV8	ECL85	—
DL33	CV819	3Q5GT	—	N16	ECL86	—	6GW8	ECL86	—
DL35	CV1803	1C5GT	—	N14	EE80	—	—	EE80	6F28
DL63	CV2912	6R7G	—	DH147	EF41	CV3886	—	EF41	6F16
DL74M	—	12Q7GT	—	DH76	EF80	CV1376	68X6	EF80	Z152
DL82	—	786	—	DH81	EF85	CV1375	68Y7	EF85	6F26
DL91	CV783	154	DL91	—	EF86	CV2901	6267	EF86	6F22
DL92	CV2370	3S4	DL92	1P10	EF89	CV5156	6DA6	EF89	—
DL94	CV2983	3V4	DL94	1P11	EF91	CV138	6AM6	EF91	8D3

Brimar types in **BOLD** available at time of printing.

BRIMAR VALVE EQUIVALENTS

Index Type	BRIMAR			Others	Index Type	BRIMAR			Others
	CV Type	American Type	European Type			CV Type	American Type	European Type	
EF92	CV131	9D6	EF92	6CQ6	KT32	CV1287	25L6GT	—	KT32
EF93	CV454	6BA6	EF93	W727	KT41	CV1181	7A3	—	AC2/Pen
EF94	CV2524	6AU6	EF94	—	KT42	CV1174	7A2	—	AC/Pen
EF95	CV850	6AK5	EF95	OP61	KT61	CV2938	6AG6G	EL33	N147
EF183	GV5831	6EH7	EF183	6F29	KT63	CV1911	6F6G	—	KT63
EF184	CV5810	6EJ7	EF184	6F30	KT66	CV1075	6L6G	—	KT66
EF804	—	—	EF804	—	KT71	—	50L6GT	—	KT71
EH90	—	6CS6	EH90	—	KT88	CV5220	7D11	—	12E13
EK90	CV453	6BE6	EK90	—	KTW63	CV1941	6K7G	—	W63
EL33	CV2938	6AG6G	EL33	KT61	KTW74M	—	12K7GT	—	W76
EL34	CV1741	6CA7	EL34	—	KTZ63	—	6I7G	—	Z63
EL41	CV3889	—	EL41	6CK5	KY80	—	2J2	R20	U26
EL84	CV2975	6BQ5	EL84	6P15	L63	CV1932	6J5G	—	L63
EL90	CV1862	6AQ5	EL90	N727	L77	CV133	6C4	EC90	L77
EL91	CV136	6AM5	EL91	7D9	LN119	—	50BMB	UCL82	10PL12
EL506	—	—	EL506	—	LN152	—	6AB8	ECL80	63TP
EL821	CV2127	6CH6	EL821	7D10	LN309	CV5144	—	PCL83	LN303
ELL80	—	6HU8	ELL80	—	LZ319	—	9A8	PCF80	30C1
EM71	—	—	EM71	—	LZ329	—	9A8	PCF80	30C1
EM81	CV5055	6DA5	EM81	—	M8079	CV4025	6058	—	M8079
EM84	CV5434	6FG6	EM84	—	M8082	CV4063	6516	—	M8082
EM85	—	—	EM85	—	M8083	CV4014	6064	—	M8083
EM87	—	6HU6	EM87	—	M8096	CV4039	6062	—	VX7080
EM840	—	—	EM840	—	M8136	CV4003	6067	—	VX7058
EN91	CV797	2D21	EN91	20A3	M8137	CV4004	6057	—	VX7059
EY51	CV426	6X2	R21	U43	M8140	CV4002	F/6064	—	VX7111
EY83	—	—	EY83	—	M8144	CV4033	F/6060	—	VX7112
EY84	CV2235	—	R18	—	M8149	CV4034	F/6067	—	VX7120
EY86/87	CV2966	6S2	EY86/87	—	M8161	CV4015	6065	—	VX7075
EY88	—	6AL3	EY88	—	M8162	CV4024	6060	—	QA2406
EZ35	CV574	6X5GT	EZ35	U147	M8212	CV4007	5726	—	M8212
EZ40	CV3891	—	EZ40	UU9	M8214	CV4035	F/6057	—	VX7128
EZ80	CV1535	6V4	EZ80	—	M8237	CV4049	F/5726	—	VX7130
EZ81	CV5072	6CA4	EZ81	UU12	MKT4	CV1683	7A2	—	AC/Pen
EZ90	CV493	6X4	EZ90	U78	MP/Pen	CV1683	7A2	—	AC/Pen
FC4	CV2955	15A2	—	MX40	MSP4	CV1282	8A1	—	AC/SG
GD150A/S	CV216	—	VR150/30	CO3	MS/Pen	CV1282	8A1	—	AC/SG
GY501	—	—	GY501	—	MU12	CV1039	—	R2	UU5
GZ30	—	5Z4G	GZ30	R52	MU14	CV1039	—	R3	UU5
GZ31	—	5U4G	GZ31	U52	MX40	CV3576	15A2	—	FC4
GZ34	CV1377	5AR4	GZ34	—	N14	CV1803	1C5GT	—	DL35
HABC80	—	—	HABC80	—	N16	CV819	3Q5GT	—	DL33
HAD	CV1419	1JD3	—	HL/DD/ 1320	N17	CV2370	354	DL92	1P10
HBC90	—	12AT6	HBC90	—	N18	CV818	3Q4	DL95	N18
HBC91	—	12AV6	HBC91	—	N19	—	3V4	DL94	1P11
HD14	CV1818	1H5GT	—	DAC32	N25	—	3C4	DL96	1P1
HF93	CV1928	12BA6	HF93	—	N30	—	7D5	—	PP13A
HF94	—	12AU6	HF94	—	N40	—	7A3	—	N40
HK90	—	12BE6	HK90	—	N41	CV1181	7A3	—	AC2/Pen
HL13C	CV1109	4D1	—	HL1320	N77	CV136	6AM5	EL91	7D9
HL92	CV1959	5DC5	HL92	—	N119	—	45B5	UL84	10P18
HL1320	CV3502	4D1	—	HL1320	N142	—	45A5	UL41	451PT
HL/DD/ 1320	CV3503	11D3	—	13DHA	N144	—	6AM5	EL91	7D9
HM04	—	6BE6	EK90	X77	N147	—	6AG6G	EL33	KT61
HP6	CV138	6AM6	EF91	8D3	N148	—	7C5	—	N148
HP4101C	CV1282	8A1	—	AC/SG	N150	—	—	EL41	6CK5
HR1	—	—	R10	6305	N152	—	21A6	PL81	N359
HR2	CV261	—	R10	6304	N154	—	16A5	PL82	30P16
HY90	—	—	HY90	—	N329	—	16A5	PL82	N154
IW3	CV1039	—	R2	UUS	N359	—	21A6	PL81	N152
IW4	CV1039	—	R3	IW4-500	N379	—	15CW5	PL84	30P18
IW4-350	—	—	R2	UUS	N389	—	—	PL302	30P19
IW4-500	CV1039	—	R3	UUS	N709	—	68Q5	EL84	6P15
KD21	—	—	VR75/30	OA3	N727	CV1862	6AG5	EL90	BPM08
KD24	—	—	VR105/30	KD24	OM4	—	6R7G	—	DL63

Brimar types in **BOLD** available at time of printing.

BRIMAR VALVE EQUIVALENTS

Index Type	BRIMAR			Others	Index Type	BRIMAR			Others
	CV Type	American Type	European Type			CV Type	American Type	European Type	
OM9 OM10	— CV1581	6AG6G 6K8G	EL33 —	KT61 ECH35	QV06-20 R1 R2 R3 R4A	CV3523 CV1443 — CV1039 —	6146 — — — —	— R1 R2 R3 R3	QV06-20 UU5 UU5 UU5 UU5
PC86 PC88 PC97 PC900 PCC84 PCC85 PCC88 PCC89	— — — — CV5192 — — —	4CM4 4DL4 4FY5 4HA5 7AN7 9AQ8 7DJ8 7FC7	PC86 PC88 PC97 PC900 PCC84 PCC85 PCC88 PCC89	— — — — 30L1 — — —	— — — — R10 R11 R12 R16 R17	— — — — CV261 CV1111 CV426 — CV2218	— — — — — — 6X2 1T2 —	— — — — R10 R11 R12 R16 R17	— — — — 6305 — — EY51 U37 —
PCC189 PCC806 PCE82 PCF80 PCF82	— — — — —	7ESB — — 9A8 9UB	PCC189 PCC806 PCE82 PCF80 PCF82	— 30L17 30FL12 30C1 —	R18 R19 R20 R42 R52	CV2235 CV5427 — — CV1863	— — 1X2B 2J2 — 5Z4G	R18 R19 R20 R2 GZ30	EY84 — U26 UU5 R52
PCF86 PCF801 PCF802 PCF805 PCF808	— — — — —	8HGB 8GJ7 9JW8 7GV7 —	PCF86 PCF801 PCF802 PCF805 PCF808	— — — 30C18 30FL14	RZ SP6 SP13C SPT4A STV150/30 SU61 TDD13C	— CV138 CV3804 CV1282 — — — —	1D5 6AM6 8D2 8A1 0A2 6X2 11D3	— EF91 — — 150C2 R12 —	U4020 8D3 C508 AC/SG STV150-30 EY51 HL/DD/ 1320
PCL82 PCL83 PCL84 PCL85 PCL86	— CV5144 — — —	16A8 — 15DQ8 18GV8 14GW8	PCL82 PCL83 PCL84 PCL85 PCL86	30PL12 LN309 — — —	U10 U14 U26	CV1443 CV1796 —	— — 2J2	R1 R3 R20	UU5 UU5 U49
PD500 Pen4VA Pen4VB Pen13C Pen36C	— CV1174 — CV3635 CV1672	9ED4 7A2 7A3 7D8 7D6	PD500 — — — —	— AC/Pen AC2/Pen Pen1340 Pen383	U31 U37 U43 U49 U50	CV3753 CV2289 — — CV1268	25Z4 1T2 6X2 2J2 5Y3GT	— R16 R12 R20 —	U31 U37 EY51 U26 U50
Pen383 Pen1340 Pen3520 PenA4 PL36	CV1456 CV3635 — CV3638 —	7D6 7D8 7D6 7A3 25E5	— — — — PL36	Pen36C Pen13C Pen383 AC2/Pen —	U52 U70 U74 U76 U78	CV1071 — — — CV493	5U4G 6X5GT 35Z4GT 35Z4GT 6X4	GZ31 EZ35 — — EZ90	U52 U147 U76 U74 U78
PFL200 PL81 PL82 PL83 PL84	— CV5077 — — —	— 21A6 16A5 15A6 15CW5	PFL200 PL81 PL82 PL83 PL84	— N152 30P16 — 30P18	U82 U119 U142 U147 U149	CV3919 — — — —	7Y4 38A3 31A3 6X5GT 7Y4	— UY85 UY41 EZ35 —	U149 U381 311SU U70 U82
PL302 PL500 PL504 PL508 PL509	— — — — —	— 27GB5 — 17KW6 —	PL302 PL500 PL504 PL508 PL509	30P19 — — — —	U150 U151 U153 U154 U192	— — — — —	— 6X2 17Z3 19Y3 19Y3	EZ40 R12 PY81 PY82 PY82	UU9 EY51 U153 U192 19SU
PL802 PM84 PM04 PM05 PM07	— — — — —	— — 6BA6 6AK5 6AM6	PL802 PM84 EF93 EF95 EF91	— — W727 DP61 8D3	U193 U291 U319 U349 U381	— — — — —	— — 19Y3 — 38A3	PY801 PY32 PY82 PY801 UY85	U349 U291 U192 U193 U119
PP13A PP35 PT4 PTA PY32	CV1425 — CV1181 CV1425 —	7D5 7D6 7A3 75D —	— — — — PY32	N30 Pen383 AC2/Pen N30 U291	U709 U718 U4020 UABC80 UBC41	CV3996 — CV1267 — —	6CA4 — 1D5 — 14L7	EZ81 EZ40 — UABC80 UBC41	UU12 UU9 40SUA 10LD12 10LD3
PY33 PY81 PY82 PY83 PY88	— — — — —	— 17Z3 19Y3 — 30AE3	PY33 PY81 PY82 PY83 PY88	— U153 U192 — —	UBC81 UBF89 UCC85 UCH42 UCH81	— — — — —	— 19FL8 — 14K7 19D8	UBC81 UBF89 UCC85 UCH42 UCH81	10LD13 10FD12 10L14 X142 10C14
PY500 PY800 PY801 QV03-12 QV05-25	— — — CV2129 CV124	42EC4 — — 5743 807	PY500 PY800 PY801 — —	— — U193 QV03-12 5B25OA	UCL82 UCL83 UF41 UF80 UF89	— — — — —	50BM8 — — — —	UCL82 UCL83 UF41 UF80 UF89	10PL12 — 12AC5 — —

Brimar types in **BOLD** available at time of printing.

BRIMAR VALVE EQUIVALENTS

Index Type	BRIMAR			Others	Index Type	BRIMAR			Others
	CV Type	American Type	European Type			CV Type	American Type	European Type	
UL41	CV1977	45A5	UL41	N142	W727	CV454	6BA6	EF93	PM04
UL84	—	45B5	UL84	10P18	WD119	—	19FL8	UBF89	10FD12
UM80	—	—	UM80	198R5	WD709	—	6N8	EBF80	ZD152
UR1C	—	105	—	U4020	X14	—	1A7G	—	DK32
UU3	—	—	R2	IW4-350	X17	CV782	1R5	DK91	1C1
UU4	CV3759	—	R2	1867	X20	—	1AC6	DK92	1C2
UU5	CV1039	—	R3	IW4-500	X25	—	1AB6	DK96	1C3
UU9	CV1855	—	EZ40	6BT4	X42	CV3576	15A2	—	MX40
UU12	CV5072	6CA4	EZ81	U709	X61M	CV1944	6K8G	—	X65
UU60/250	—	—	R2	UU5	X63	CV3825	6A8G	—	—
UU120/350	CV1796	—	R2	UU5	X65	CV3826	6K8G	—	X147
UU120/500	—	—	R3	UU5	X71M	—	12K8GT	—	X76M
UY41	—	31A3	UY41	U142	X76M	—	12K8GT	—	X71M
UY85	—	38A3	UY85	U381	X77	CV453	6BE6	EK90	X727
VFT6	—	6U5G	—	6M1	X81	—	757	—	X184
VHT4	CV2955	15A2	—	FC4	X119	—	19D8	UCH81	10C14
VP6	—	9D6	EF92	6CQ6	X142	—	14K7	UCH42	141TH
VP13C	CV3790	9D2	—	VP1322	X147	—	6K8G	—	X61M
VP1322	CV3796	9D2	—	13VPA	X148	—	757	—	X81
VR75/30	CV3798	VR75/30	—	0A3	X150	—	6CU7	ECH42	6C10
VR105/30	CV686	VR105/30	—	0C3	X719	—	6A18	ECH81	6C12
VR150/30	CV216	VR150/30	150C3	0D3	X727	CV453	6BE6	EK90	X77
W17	CV785	1T4	DF91	1F3	Y61	CV1103	6U5G	—	6M1
W25	—	1AJ4	DF96	1F1	Y63	CV1103	6U5G	—	6H5
W63	—	6K7G	—	KTW63	Z14	—	1N5GT	—	DF33
W76	—	12K7GT	—	KTW74M	Z63	—	6J7G	—	KTZ63
W77	CV131	9D6	EF92	6CQ6	Z77	CV138	6AM6	EF91	8D3
W81	—	7H7	—	W143	Z152	—	6BX7	EF80	Z719
W142	—	—	UF41	12AC5	Z719	—	6BX6	EF80	Z152
W143	—	7H7	—	W148	Z729	—	6267	EF86	6F22
W148	—	7H7	—	W81	ZD17	CV784	1SS	DAF91	1FD9
W149	—	7B7	—	—	ZD25	—	1AH5	DAF96	1FD1
W150	—	—	EF41	6CJ5	ZD152	—	6N8	EBF80	WD709
W719	—	7BY7	EF85	6F26					

Brimar types in **BOLD** available at time of printing.