

| | | |
|--|----------------------|--------------|
| SPECIFICATION M.O.A./CV.7117 ISSUE NO. 1 DATED 5.7.61 To be read in conjunction with K.1007, Sections 1,2,3,4, 5.1, 5.2, 5.3, 9, 15 and other sections and appendices referred to in the test specification. | <u>SECURITY</u> | |
| | <u>SPECIFICATION</u> | <u>VALVE</u> |
| | Unclassified | Unclassified |

| | | |
|---|--|--|
| TYPE OF VALVE: Silicon P.N.P. Junction Transistor. PROTOTYPE: CC.203 | <u>MARKING</u> | |
| <u>RATINGS AND CHARACTERISTICS</u> | See K.1007/4. CV No. and if possible the factory and date code. The collector lead shall be indicated by a white spot on the body adjacent to the lead. | |
| <u>TESTS</u> | <u>BASE</u> | |
| The tests required by Specification M.O.A./CV 7152 shall be performed. | K.1007/A1/D5B (Fig. 4) 1. Emitter 2. Base 3. Collector | |
| <u>NOTES</u> | <u>DIMENSIONS</u> | |
| A. The Joint Services Catalogue Number is 5960-99-037-2279 | See drawing on this page | |
| <u>OUTLINE DRAWING</u> | <u>BODY</u> | |
| <p>Lead dia. 0.4</p> <p>All dimensions in mm.</p> | The body shall be insulated from all leads. | |
| | <u>MOUNTING POSITION</u> | |
| | Any | |
| | <u>PACKAGING</u> | |
| See K1007/14 | | |